INDIVIDUALIZED HEALTH CARE PLAN FOR STUDENTS WITH FOOD & LIFE-THREATENING ALLERGIES 2025-2026 SCHOOL YEAR

To be completed by the Parent:	
Student Name:	Grade:
Allergies to:	
Student needs to avoid:	
Reaction(s) student has:	
Self-Carry permission from a physician: NO Y	ES*
*If YES, the parent will complete the Self-Carry and Self-A	Administer Epinephrine Auto-Injector agreement.
EMERGENCY CONTACTS	OTHER EMERGENCY CONTACTS
PARENT/GUARDIAN:	NAME:
PHONE:	PHONE:
DOCTOR:	NAME:
PHONE:	PHONE:
encountered the allergen or are having a reaction. I will provide the expiration date to replace the medication. I hereby request the above-named student, and it may be administered by medical or use of Epinephrine. Such agreement by the school is adequate consideration of my agagreeing to allow the medication to be given to the student as requared Archdiocese of Galveston-Houston, its servants, agents, and any school, the principal, and the individuals giving the medication, of arising out of or in any way connected with the giving of the medication, for said consideration, I, on behalf of myself and the oth demands, or causes of action against the Archdiocese of Galvesto but not limited to the parish, the school, the principal, and the individually understood that the Archdiocese and its employees and §38.215, from suit resulting from any act or failure to act concerning this immunity.	e medication specified by the physician be given to the non-medical personnel. I understand 911 is called with the greements contained herein. In consideration for the school quested herein, I agree to indemnify and hold harmless the employees, including, but not limited to the parish, the of and from any and all claims, demands, or causes of action dication or failing to give the medication to the student. For parent of the student, hereby release and waive all claims, on-Houston, its agents, servants, or employees, including, dividual giving or failing to give the medication. It is affiliates are immune, pursuant to Tex. Educ. Code aning the administration of epinephrine medication under the gies. Nothing within this Agreement shall be interpreted to
Parent Signature:	Date:
be completed by School:	
School Nurse/Health Coordinator Signature:	Date:
Principal Signature:	Date:
Before & After Program Coordinator Signature:	Date:
If applicable) Feacher notification provided by:	Date:

School staff may be notified of the student's health condition and the treatment plan in case of an emergency.

INDIVIDUALIZED HEALTH CARE PLAN FOR STUDENTS WITH FOOD & LIFE-THREATENING ALLERGIES

2025-2026 SCH	OOL YEAR		
To be completed by the Physician:			
Students Name:	D.O.B.:		
Allergy to:			
Weight:lbs. Asthma:* YES (higher risk for	a severe reaction) NO		
NOTE: Treat the person before calling emergency contacts. The first sign	gn of a reaction can be mild, but symptoms can worsen quickly.		
Extremely reactive to the following allergens:			
THEREFORE: If checked, give Epinephrine immediately if the allergen was LIKELY eaten, for ANY symptoms.			
If checked, give Epinephrine immediately if the aller	gen was Eaten, even if no symptoms are apparent.		
SEVERE SYMPTOMS FOR ANY OF THE FOLLOWING FOLLOW DIRECTIONS BELOW	MILD SYMPTOMS FOR MILD SYMPTOMS FROM A SINGLE SYSTEM AREA, FOLLOW THE DIRECTIONS BELOW		

Shortness of breath. wheezing, repetitive cough



Pale or bluish

skin, faintness,

weak pulse,

dizziness



THROAT

Tight or hoarse throat, trouble breathing or swallowing

MOUTH

Significant swelling of the tongue or lips







Repetitive vomiting, severe diarrhea



Feeling somethin bad is about to happen, anxiety, confusion

OR A COMBINATION

of symptoms from different body areas.

INJECT EPINEPHRINE IMMEDIATELY

- 2. **CALL 911.** Tell emergency dispatcher the person is having anaphylaxis and may need epinephrine when emergency responders arrive.
- 3. Consider giving additional medications following epinephrine:
 - Antihistamine
 - Inhaler (bronchodilator) if wheezing
- 4. Lay the person flat, raise legs and keep warm. If breathing is difficult or they are vomiting, let them sit up or lie on their
- 5. If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose.
- 6. Alert Emergency Contacts.
- 7. Transport patient to ER, even if symptoms resolve









NOSE

MOUTH

SKIN

Itchy Runny nose Sneezing

Itchy mouth

A few hive: Mild itch

Mild nausea or discomfort

- 1. Antihistamines may be given, if ordered by a healthcare provider.
- 2. Stay with the person, **ALERT** Emergency Contacts.
- 3. Watch closely for changes. If symptoms worsen, give EPINEPHRINE.

OOSES	
1	0.3 mg IM
zing):	
YES	NO
YES	NO
r Epineph id respons	rine. I have sible use and
	zing): YES YES bove studer Epineph

PHYSICIAN SIGNATURE **PRINT** PHONE NO. DATE


EPIPEN® AND EPIPEN JR® (EPINEPHRINE) Directions:

EPIPEN 2-PAK® EPIPEN Jr 2-PAK® (Epinephrine) Auto-Injectors 03/015mg

- 1. Remove Auto-Injector from the clear carrier tube.
- 2. Pull off the blue safety release by pulling straight up.



Hold the orange tip near the outer thigh (always apply to the thigh)



- Swing and firmly push orange tip against outer thigh. Hold on thigh firmly for approximately 3 seconds.
 (Count slowly 1, 2, and 3).
- 5. Remove and massage the injection area for 10 seconds.
- 6. **Call 911** and get emergency medical help right away.


ADMINISTRATION AND SAFETY INFORMATION FOR ALL AUTO-INJECTORS:

- Do not put your thumb, fingers or hand over the tip of the auto-injector or inject into any body part other than midouter thigh.
- 2. If administering to a young child, hold their leg firmly in place before and during injection to prevent injuries.
- 3. Epinephrine can be injected through clothing if needed.
- 4. Call 911 immediately after injection


Auvi-Q (EPINEPHRINE) Directions:



- 1. Remove the outer case of AUVI-Q. This will activate the voice instructions.
- 2. Pull off the RED safety guard.



3. Place the black end against the outer thigh, press firmly, and hold for 5 seconds.



4. Call 911

Adrenaclick (EPINEPHRINE) Directions:



1. Remove GREY caps labeled "1" and "2"



- 2. Place RED rounded tip against outer thigh, press down hard until needle penetrates. Hold for 10 seconds then remove.
- 3. Call 911

Source: Food Allergy Research & Education (FARE) (WWW.FOODALLERGY.ORG) 5/2014

SELF-CARRY AND SELF-ADMINISTER EPINEPHRINE AUTO-INJECTOR AGREEMENT 2025-2026 SCHOOL YEAR

To b	e completed by the Parent and Student:
Stude	ent name: Date of Birth:
When	re will the student carry the Epinephrine auto-injector (required):
An a	dditional Epinephrine auto-injector will be provided to the school and stored with prescribed medication at a
speci	fied school location: (required):
	STUDENT
•	I will notify school personnel if I am having more difficulty than usual with my allergies.
•	I agree to carry my Epinephrine auto-injector with me as listed above. If an emergency arises and I am unable to get to the nurse/school personnel, I will use the Epinephrine auto-injector as prescribed by the physician and then immediately inform a nurse/school personnel.
•	I agree to use my Epinephrine auto-injector responsibly, by the physician's orders. I understand my life-threatening allergy, exposure, symptoms, and treatment plan reviewed by my physician and parent(s)/guardian(s) and understand to use my Epinephrine auto-injector only when an emergency arises, as prescribed by my physician, and I am unable to get to the nurse/school personnel in time.
•	I agree to never share my Epinephrine auto-injector with another person as this is dangerous. If I do this may result in disciplinary action.
Stu	ident Signature: Date:
	PARENT/GUARDIAN
•	I agree to see that my child carries his/her Epinephrine auto-injector as prescribed and that it is properly labeled and is not expired.
•	I understand that I will provide the school with an additional Epinephrine auto-injector to store at school along with any prescribed medication(s) from the physician's treatment plan.
•	I have reviewed with my child their life-threatening allergy, exposure, symptoms, and treatment plan including the usage of the self-carry Epinephrine auto-injector if an emergency arises.
•	I agree to regularly review with my child the proper use of his/her Epinephrine auto-injector when at school.
•	I agree to regularly review the status of my child's allergies with the physician and to notify the physician when my child is having more difficulty than usual.
•	I understand if my child shares medication with other students it may result in disciplinary actions.
	My child has demonstrated to his/her physician and the school, nurse, if available, the skill level necessary to self-
•	administer the prescription medication, including the use of any device required to administer the medication in case an emergency arises, and they are unable to get to a school personnel/nurse.
•	administer the prescription medication, including the use of any device required to administer the medication in case an

Parent Signature: ______ Date: _____